

# Sewing Machine Oil

Product reference: GYYY-27

Sewing machine lubricant offered in No. 6, 10 and 15 grades.

## Sewing Machine Oil

### Product name

Sewing Machine Oil

### Viscosity / grade

6#, 10#, 15#

### Standard references

Chinese industry standard SH/T 0016-2013, Sewing Machine Oil

### Product overview

Sewing Machine Oil is blended from high-pressure-hydrotreated base oils and high-quality additives.

### Performance features

Excellent oxidation stability and lubricity effectively protect transmission components such as bearings, gears, cams and worm gears, extending equipment service life. Its low pour point provides good low-temperature fluidity. Excellent light stability prevents discoloration of textiles contaminated by the oil.

### Applications

Specifically intended for sewing machines in the textile industry. It can also lubricate textile-machinery spindles, bearings and related components.

### Packaging

170 kg drums; IBC containers; flexitanks; tanker trucks

### Minimum order quantity

3–10 tonnes

### Mixed loading

Mixed loading is not permitted.

### Unsuitable applications

- Not suitable for heavily loaded gears, high-temperature chains, transformers, electrical discharge machining (EDM), rolling mills or similar applications. Do not substitute it for other types of lubricant.

For grade selection, technical requirements, packaging and commercial terms, contact [sales@petronexusgroup.com](mailto:sales@petronexusgroup.com).

## Product visual and technical data



**PETRONEXUS**

### High-Performance Sewing Machine Oil

Premium Lubrication for Textile Machinery

- Smooth Operation
- Wear Protection
- Longer Service Life

VISCOSITY GRADES: No. 6 / 10 / 15

### PRODUCT PERFORMANCE

- Excellent Oxidation Stability and Lubrication Performance**  
Maintains stable performance during long-term operation.
- Reliable Protection for Bearings, Gears, Cams, and Worm Gear Drives**  
Provides comprehensive component protection.
- Reduced Component Wear and Extended Equipment Life**  
Helps ensure smooth and dependable machine operation.
- Low Pour Point and Excellent Low-Temperature Fluidity**  
Supports reliable lubrication under varying operating temperatures.
- Outstanding Light Stability and Resistance to Fabric Discoloration**  
Helps prevent staining or discoloration of textile materials.



### PRECISION LUBRICATION FOR A SMOOTHER TOMORROW

- Higher Efficiency
- Lower Maintenance Costs
- More Reliable Production

*Keep Machines Moving Forward*

### PRODUCT DESCRIPTION

High-Performance Sewing Machine Oil is a premium industrial lubricant formulated with high-pressure hydrotreated base oils and carefully selected high-quality additives.

Specifically developed for sewing machines and textile machinery, it delivers excellent oxidation stability and reliable lubrication performance, helping protect bearings, gears, cams, worm gear drives, and other critical transmission components against wear.

Its effective lubricating properties help reduce component wear and extend equipment service life, supporting smooth and dependable machine operation.

Featuring a low pour point and excellent low-temperature fluidity, the product provides reliable lubrication under varying operating temperatures.

With outstanding light stability, the oil is designed to resist discoloration when exposed to light and minimize the risk of staining or discoloring textile materials in the event of accidental oil contact.



### PROTECTING TEXTILE EQUIPMENT IMPROVING PRODUCTION EFFICIENCY

- Stable Lubrication
- Less Wear
- Longer Service Life
- No Fabric Discoloration

### APPLICATIONS

- Industrial Sewing Machines**  
Specifically developed for the lubrication of industrial sewing machines used in textile and garment manufacturing.
- Textile Machinery Spindles**  
Suitable for compatible spindles used in textile machinery requiring reliable low-viscosity lubrication.
- Bearings and Transmission Components**  
Suitable for the lubrication of compatible bearings, gears, cams, worm gear drives, and other mechanical components in textile equipment.
- Textile and Garment Manufacturing Equipment**  
Suitable for compatible textile processing and garment production machinery where high-quality sewing machine oil with good light stability and low discoloration tendency is required.

### AVAILABLE PACKAGING





**170 kg Drums**    **IBC Containers**    **Flexitank**

### ORDER INFORMATION

- Minimum Order Quantity (MOQ)**  
3-10 Metric Tons  
Depending on packaging and order requirements.
- Order Requirements**  
Mixed Loading Not Accepted.
- For more information, please contact your sales representative.



**PETRONEXUS**

### LUBRICATION SOLUTIONS FOR THE TEXTILE INDUSTRY

- TEXTILE
- EFFICIENCY
- RELIABILITY
- GLOBAL SUPPORT